Bird Study (1992) **38**, 212–216

Index

Acrocephalus scirpaceus, 96
Activity budgets: of parent Kittiwakes, 145
Aebischer, N.J. & Wanless, S. Relationships between colony size, adult non-breeding and environmental conditions for Shags *Phalacrocorax aristotelis* on the Isle of May, Scotland, 43
Anas crecca, 53, 124
Anas penelope, 124
Anas platyrhynchos, 124
Anser albifrons flavirostris, 186
Aquila chrysaetos, 203
Avocet: behavioural responses to gull productivity control, 34

Bats, Pipistrelle: winter predation by Kestrels, 195
Behaviour: adoption of Cuckoo fledglings by Magpies, 200; mussel caching by Hooded Crows, 115; of Gulls and Avocets to control of Gull productivity, 34
Berrow, S.D., Kelly, T.C. & Myers, A.A. The mussel caching behaviour of Hooded Crows *Corvus corone cornix*, 115
Blackbird: fat deposition and flight range, 96; surveyed in the New Forest, 132
Blackcap: fat deposition and flight range, 96
Breeding: activity patterns, diet and breeding success of Kittiwakes, 145; breeding bird communities of the New Forest, 132; Cirl Bunting population in Britain, 17; clutch size and laying dates of buntings, 111; control of Black-headed Gull productivity, 34; distribution of breeding songbirds in coppiced woodland, 73; Golden Eagle breeding success, and afforestation, 203; Merlins using crow nests, 131; non-breeding by Shags, 43; Nuthatch breeding success and laying date, 23
Breeding Wader Monitoring Scheme (BWMS), 165
Bucephala clangula, 124
Bunting, Cirl: numbers and distribution in Britain, 17
Bunting, Corn: clutch size and laying dates, 111
Bunting, Reed: clutch size and laying dates, 111; fat deposition and flight range, 96
Burges, D.J. *See* Smith, K.W.

Certhia familiaris, 132
Chaffinch: surveyed in the New Forest, 132
Chiffchaff: fat deposition and flight range, 96
Clamator glandarius, 200
Climate *See* Weather
Coppicing: effects on birds communities, 73
Corvus corone, 13
Corvus corone cornix, 115
Corvus monedula, 132
Coturnix c. coturnix, 120
Crick, H.Q.P. A bird-habitat coding system for use in Britain and Ireland incorporating aspects of land-management and human activity, 1
Crow, Carrion: nests used by Merlins, 13
Crow, Hooded: mussel caching behaviour, 115
Cuckoo, Great Spotted: fledglings adopted by Magpies, 200
Curlew: status on wet lowland grasslands, 165

Bird Study (1992) **38**, 212–216

Index

Acrocephalus scirpaceus, 96
Activity budgets: of parent Kittiwakes, 145
Aebischer, N.J. & Wanless, S. Relationships between colony size, adult non-breeding and environmental conditions for Shags *Phalacrocorax aristotelis* on the Isle of May, Scotland, 43
Anas crecca, 53, 124
Anas penelope, 124
Anas platyrhynchos, 124
Anser albifrons flavirostris, 186
Aquila chrysaetos, 203
Avocet: behavioural responses to gull productivity control, 34

Bats, Pipistrelle: winter predation by Kestrels, 195
Behaviour: adoption of Cuckoo fledglings by Magpies, 200; mussel caching by Hooded Crows, 115; of Gulls and Avocets to control of Gull productivity, 34
Berrow, S.D., Kelly, T.C. & Myers, A.A. The mussel caching behaviour of Hooded Crows *Corvus corone cornix*, 115
Blackbird: fat deposition and flight range, 96; surveyed in the New Forest, 132
Blackcap: fat deposition and flight range, 96
Breeding: activity patterns, diet and breeding success of Kittiwakes, 145; breeding bird communities of the New Forest, 132; Cirl Bunting population in Britain, 17; clutch size and laying dates of buntings, 111; control of Black-headed Gull productivity, 34; distribution of breeding songbirds in coppiced woodland, 73; Golden Eagle breeding success, and afforestation, 203; Merlins using crow nests, 131; non-breeding by Shags, 43; Nuthatch breeding success and laying date, 23
Breeding Wader Monitoring Scheme (BWMS), 165
Bucephala clangula, 124
Bunting, Cirl: numbers and distribution in Britain, 17
Bunting, Corn: clutch size and laying dates, 111
Bunting, Reed: clutch size and laying dates, 111; fat deposition and flight range, 96
Burges, D.J. *See* Smith, K.W.

Certhia familiaris, 132
Chaffinch: surveyed in the New Forest, 132
Chiffchaff: fat deposition and flight range, 96
Clamator glandarius, 200
Climate *See* Weather
Coppicing: effects on birds communities, 73
Corvus corone, 13
Corvus corone cornix, 115
Corvus monedula, 132
Coturnix c. coturnix, 120
Crick, H.Q.P. A bird-habitat coding system for use in Britain and Ireland incorporating aspects of land-management and human activity, 1
Crow, Carrion: nests used by Merlins, 13
Crow, Hooded: mussel caching behaviour, 115
Cuckoo, Great Spotted: fledglings adopted by Magpies, 200
Curlew: status on wet lowland grasslands, 165

Davison, M. *See* Little, B.
de La Riva, M.J. *See* Negro, J.J.
Dhondt, A.A. *See* Lens, L.
Diet *See* Feeding
Distribution: Cirl Buntings in Britain, 17; of breeding songbirds in coppiced woodland, 73
Dunnock: fat deposition and flight range, 96

Eagle, Golden: breeding success in relation to afforestation, 203
Ecology: and breeding success of Nuthatches, 23; and non-breeding by Shags, 43; bird-habitat codes, 1; distribution of breeding songbirds in woodland, 73; habitat structure predicts bird diversity, 63; habitat use and site fidelity of Green Sandpipers, 155; seasonal variations in free Teal, 53; storms affecting Crested Tits, 31 *See also* habitats
Eggs: clutch size and laying dates of buntings, 111
Emberiza cirlus, 17
Emberiza citrinella, 111
Emberiza calandra, 111
Emberiza schoeniclus, 96, 111
Erithacus rubecula, 96, 132
Evans, A.D. The numbers and distribution of Cirl Buntings *Emberiza cirlus* breeding in Britain in 1989, 17

Falco columbarius, 13
Falco tinnunculus, 195
Feeding: diet of Kittiwake chicks, 146; mussel caching behaviour of Hooded Crows, 115; winter predation of bats by Kestrels, 195
Flight range: of autumn migrants, 96
Food *See* Feeding
Forests *See* Woodlands
Fowler, J.A. *See* Peach, W.J.
Fox, A.D., King, R. & Watkin, J. Seasonal variation in weight, body measurements and condition of free-living Teal, 53
Fox, A.D. *See* Warren, S.M.
Fringilla coelebs, 132
Fuller, R.J. & Henderson, A.C.B. Distribution of breeding songbirds in Bradfield Woods, Suffolk, in relation to vegetation and coppice management, 73

Galarza, A. *See* Telleria, J.L.
Gallinago gallinago, 165
Goldeneye: census methods for, 124
Goose, Greenland White-fronted: wintering at Wexford, 186
Gravel pits: variation in wildfowl numbers, 177; wintering Green Sandpipers at, 155
Gull, Black-headed: behavioural responses to productivity control, 34

Habitats: affecting bird diversity distribution, 63; bird-habitat codes, 1; census methods for waterfowl habitat use, 124; effect of afforestation on Eagles, 203; use and site fidelity of Green Sandpipers, 155
Haematopus ostralegus, 165
Harris, M.P. *See* Wanless, S.
Henderson, A.C.B. *See* Fuller, R.J.
Hill, D. & Player, A. Behavioural responses of Black-headed Gulls and Avocets to two methods of control of gull productivity, 34
Hodson, D.P. *See* Peach, W.J.

Ibáñez, C. *See* Negro, J.J.

Jackdaw: surveyed in the New Forest, 132

Kaiser, A. Fat deposition and theoretical flight range of small autumn migrants in southern Germany, 96
Kelly, T.C. *See* Berrow, S.D.
Kestrel, Common: predation on bats, 195
King, R. *See* Fox, A.D.
Kittiwake: activity budgets, diet and breeding success, 145

Lapwing: status on wet lowland grasslands, 165
Larus ridibundus, 34
Lens, L. & Dhondt, A.A. The effect of a severe storm on a population of Crested Tits *Parus cristatus* in Belgium, 31
Life span: of Quail, 120
Little, B. & Davidson, M. Merlins *Falco columbarius* using crow nests in Kielder Forest, Northumberland, 13

Magpie: adoption of Great Spotted Cuckoos, 200
Mallard: census methods, 124
März, M. *See* Schmidt, K.-H.
Matthysen, E. *See* Schmidt, K.-H.
Merlin: using crow nests, 13
Merne, O.J. *See* Warren, S.M.
Methodology: bird-habitat coding system, 1; waterfowl census methods, 124
Migrants: fat deposition and flight range, 96; wintering Green Sandpipers, 155; wintering site amongst Greenland White-fronted Geese, 186; winter wildfowl on gravel pits, 177
Myers, A.A. *See* Berrow, S.D.

Negro, J.J., Ibáñez, C., Pérez Jordá, J.L. and De la Riva, M.J. Winter predation by Common Kestrel *Falco tinnunculus* on Pipistrelle Bats *Pipistrellus pipistrellus* in Southern Spain, 195
Numenius arquata, 165
Nummi, P. *See* Pöysä, P.
Nuthatch: breeding success and laying date, 23

O'Brien, M. and Smith K.W. Changes in the status of waders breeding on wet lowland grasslands in England and Wales between 1982 and 1989, 165
Oystercatcher: status on wet lowland grasslands, 165

Parks, R.A. *See* Smith, K.W.
Parus ater, 132
Parus caeruleus, 96, 132
Parus cristatus, 31
Parus major, 132
Peach, W.J., Hodson, D.P. & Fowler, J.A. Variation in the winter body mass of Starlings *Sturnus vulgaris*, 89
Pérez Jordá, J.L. *See* Negro, J.J.
Phalacrocorax aristotelis, 43
Phillips, V.E. Variation in winter wildfowl numbers on gravel pit lakes at Great Linford, Buckinghamshire, 1974–79 and 1984–91, with particular reference to the effects of fish removal, 177
Phoenicurus phoenicurus, 132
Phylloscopus collybita, 96
Phylloscopus trochilus, 96, 132
Pica pica, 200
Player, A. *See* Hill, D.
Populations: Cirl Buntings in Britain, 17; storms affecting Crested Tit populations, 31
Pöysä, H. & Nummi, P. Comparing two methods of data collection in waterfowl habitat use studies, 124

Prunella modularis, 96
Puigcerver, M., Gallego, S., Rodriguez-Teijeiro, J.D. & Senar, J.C. Survival and mean life span of the Quail *Coturnix c. coturnix*, 120

Quail: survival and mean life span, 120

Recurvirostra avosetta, 34
Redondo, T. *See* Zuñiga, J.M.
Redshank: status on wet lowland grasslands, 165
Redstart: in New Forest woodlands, 132
Reed, J.M. *See* Smith, K.W.
Reproduction *See* Breeding
Rissa tridactyla, 145
Robin: fat deposition and flight range, 96; surveyed in the New Forest, 132

Sánchez, A. *See* Tellería, J.L.
Sandpiper, Green: habitat use and site fidelity, 155
Santos, T. *See* Tellería, J.L.
Schmidt, K.-H., März, M. & Matthysen, E. Breeding success and laying date of Nuthatches *Sitta europaea* in relation to habitat, weather and breeding density, 23
Shag: adult non-breeding, 43
Sitta europaea, 23
Smith, K.W., Burges, D.J. & Parks, R.A. Breeding bird communities of broadleaved plantation and ancient pasture woodlands of the New Forest, 132
Smith, K.W., Reed, J.M. and Trevis, B.E. Habitat use and site fidelity of Green Sandpipers *Tringa ochropus* wintering in Southern England, 155
Smith, K.W. *See* O'Brien, M.
Snipe: status on wet lowland grasslands, 165
Songbirds: distribution in coppiced woodlands, 73
Starling: variation in winter body mass, 89
Storms: affecting Crested Tits, 31
Sturnus vulgaris, 89
Survival rate: of quail, 120
Sylvia atricapilla, 96
Sylvia borin, 96

Teal: census methods for, 124; variation in weight, measurement and condition, 53
Tellería, J.L., Santos, T., Sánchez, A. & Galarza, A. Habitat structure predicts bird diversity distribution in Iberian forests better than climate, 63
Temperature: effect on Starling body mass, 89 *See also* weather
Thrush, Mistle: surveyed in the New Forest, 132
Thrush, Song: fat deposition and flight range, 96
Tit, Blue: fat deposition and flight range, 96; surveyed in the New Forest, 132
Tit, Coal: surveyed in the New Forest, 132
Tit, Crested: storms influencing, 31
Tit, Great: surveyed in the New Forest, 132
Treecreeper: surveyed in the New Forest, 132
Trevis, B.E. *See* Smith, K.W.
Tringa ochropus, 155
Tringa totanus, 165
Turdus merula, 96, 132
Turdus philomelos, 96
Turdus viscivorus, 132

Vanellus vanellus, 165

Waders: breeding on wet lowland grasslands, 165
Walsh, A.J. *See* Warren, S.M.
Wanless, S. *See* Aebischer, N.J.
Wanless, S. Activity budgets, diet and breeding success of Kittiwakes *Rissa tridactyla* on the Isle of May, 145
Warbler, Garden: fat deposition and flight range, 96
Warbler, Reed: fat deposition and flight range, 96
Warbler, Willow: fat deposition and flight range, 96; surveyed in the New Forest, 132
Warren, S.M., Fox, A.D., Walsh, A.J., Merne, O.J. and Wilson, H.J. Wintering site interchange amongst Greenland White-fronted Geese *Anser albifrons flavirostris* captured at Wexford Slobs, Ireland, 186
Waterfowl: census methods, 124; winter wildfowl on gravel pits, 177 *See aso under individual birds*
Watkin, J. *See* Fox, A.D.
Watson, J. Golden Eagle *Aquila chrysaetos* breeding success and afforestation in Argyll, 203
Weather: affecting non-breeding by Shags, 43; affecting Nuthatch breeding success, 23; causing seasonal variation in free Teal, 53; climate predicting bird diversity in Iberian forests, 63; storms influencing Crested Tits, 31; temperature affecting Starling body mass, 89 *See also under* Migrants
Wigeon: census methods for, 124
Wildfowl *See* Waterfowl
Wilson, H.J. *See* Warren, S.M.
Wintering birds *See under* Migrants
Woodlands: bird communities in the New Forest, 132; bird diversity in Iberian forests, 63; distribution of breeding songbirds in coppiced woodland, 73

Yellowhammer: clutch size and laying dates, 111
Yum-Tov, Y. Clutch size and laying dates of three species of Buntings *Emberiza* in England, 111

Zuñiga, J.M. & Redondo, T. Adoption of Great Spotted Cuckoo (*Clamator glandarius*) fledglings by Magpies (*Pica pica*), 200